



Certificate of Analysis

Sample:KN31108001-006

Harvest/Lot ID: 23K008

Batch#: 23K008

Batch Date: 10/10/23

Sample Size Received: 15.5 gram

Retail Product Size: 5.2 gram

Ordered : 11/02/23

Sampled : 11/02/23

Completed: 11/14/23

PASSED

Page 1 of 5

Nov 14, 2023 | Asterra Labs

800 Cooke Rd.
Nashville, NC, 27856, US

ASTERRAlabs


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
PASSED



Terpenes
NOT TESTED

MISC.



Potency

PASSED



Total THC

0.1892%

Total THC/Gummy : 9.838 mg



Total Cannabinoids

0.1892%

Total Cannabinoids/Gummy : 9.838 mg

	CBDVA	CBDV	CBDA	CBGA	CBG	CBD	D9-THCV	D8-THCV	CBN	D9-THC	D8-THC	D10-THC	CBC	THCA
%	ND	ND	<0.01	ND	<0.01	<0.01	<0.01	ND	<0.01	0.1892	<0.01	ND	ND	ND
mg/g	ND	ND	<0.1	ND	<0.1	<0.1	<0.1	ND	<0.1	1.892	<0.1	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
2657, 2990

Weight:
0.2023g

Extraction date:
11/08/23 15:17:14

Extracted by:
2990

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100 , THCA: ± 0.124 , TOTAL THC ± 0.112 . These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor $k=2$ for a normal distribution.

Analytical Batch : KN004279POT

Instrument Used : E-SHI-008

Running on : N/A

Reviewed On : 11/09/23 11:28:13

Batch Date : 11/07/23 13:23:19

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

11/14/23

Signed On



Certificate of Analysis

PASSED

Asterra Labs

 800 Cooke Rd.
 Nashville, NC, 27856, US
 Telephone: (252) 702-1537
 Email: ron.rogers@asterrallabs.com

Sample : KN31108001-006

Harvest/Lot ID: 23K008

Batch#: 23K008


Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Completed : 11/14/23 Expires: 11/14/24

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND	PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND	PRALLETHRIN	0.008	ppm	0.4	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND	PROPICONAZOLE	0.007	ppm	1	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND	PROPOXUR	0.008	ppm	0.1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND	PYRETHRINS	0.002	ppm	1	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND	PYRIDABEN	0.007	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND	SPINETORAM	0.004	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND	SPIROMESIFEN	0.009	ppm	3	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND	SPIROTETRAMAT	0.009	ppm	3	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	SPIROXAMINE	0.006	ppm	0.1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.009	ppm	1	PASS	ND
CHLORANTRANILPROLE	0.012	ppm	1	PASS	ND	THIACLOPRID	0.008	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND	THIAMETHOXAM	0.009	ppm	1	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TOTAL SPINOSAD	0.009	ppm	3	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.009	ppm	3	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND	<div>Analyzed by: 2803</div> <div>Weight: 1.0137g</div> <div>Extraction date: 11/14/23 08:34:51</div> <div>Extracted by: 2803</div> <div>Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN</div> <div>Analytical Batch : KN004299PES</div> <div>Instrument Used : E-SHI-125</div> <div>Running on : N/A</div> <div>Dilution : 0.01</div> <div>Reagent : 082523.R07; 110623.R01; 110623.R02; 090823.R19; 102323.R25; 092123.R06; 092023.R17</div> <div>Consumables : 302110210; K130252; 22/04/01; 220501; B9291.100; 01422036; 251760; 201123-058; 260148; 1008702218; 947B9291.271; GD220011; 1350331</div> <div>Pipette : E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry.</div> <div>*Based on FL action limits.</div>					
CYPERMETHRIN	0.01	ppm	1	PASS	ND						
DAMINOZIDE	0.006	ppm	0.1	PASS	ND						
DIAZANON	0.006	ppm	0.2	PASS	ND						
DICHLORVOS	0.014	ppm	0.1	PASS	ND						
DIMETHOATE	0.009	ppm	0.1	PASS	ND						
DIMETHOMORPH	0.009	ppm	3	PASS	ND						
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND						
ETOFENPROX	0.009	ppm	0.1	PASS	ND						
ETOXAZOLE	0.007	ppm	1.5	PASS	ND						
FENHEXAMID	0.005	ppm	3	PASS	ND						
FENOXYCARB	0.007	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.006	ppm	2	PASS	ND						
FIPRONIL	0.008	ppm	0.1	PASS	ND						
FLONICAMID	0.014	ppm	2	PASS	ND						
FLUDIOXONIL	0.011	ppm	3	PASS	ND						
HEXYTHIAZOX	0.009	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.005	ppm	3	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.009	ppm	2	PASS	ND						
METALAXYL	0.008	ppm	3	PASS	ND						
METHIOCARB	0.008	ppm	0.1	PASS	ND						
METHOMYL	0.009	ppm	0.1	PASS	ND						
MEVINPHOS	0.001	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.006	ppm	3	PASS	ND						
NALED	0.023	ppm	0.5	PASS	ND						
OXAMYL	0.009	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.007	ppm	0.1	PASS	ND						
PERMETHRINS	0.008	ppm	1	PASS	ND						
PHOSMET	0.009	ppm	0.2	PASS	ND						



Certificate of Analysis

PASSED

Asterra Labs

 800 Cooke Rd.
 Nashville, NC, 27856, US
 Telephone: (252) 702-1537
 Email: ron.rogers@asterrallabs.com

Sample : KN31108001-006

Harvest/Lot ID: 23K008

Batch# : 23K008

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Completed : 11/14/23 Expires: 11/14/24

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
ETHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm		PASS	2700.9253
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

 Analyzed by:
 3050

 Weight:
 0.02301g

 Extraction date:
 11/08/23 17:07:06

 Extracted by:
 3050

Analysis Method : SOP.T.40.041.TN

Analytical Batch : KN00428150L

Instrument Used : E-SHI-106

Running on : N/A

Reviewed On : 11/09/23 08:48:10

Batch Date : 11/07/23 14:48:25

Dilution : N/A

Reagent : 081320.01

Consumables : B9291.100; R2017.167; G201.167

Pipette : N/A

Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. *Based on FL action limits.



Certificate of Analysis

PASSED

Asterra Labs

 800 Cooke Rd.
 Nashville, NC, 27856, US
 Telephone: (252) 702-1537
 Email: ron.rogers@asterrallabs.com

Sample : KN31108001-006

Harvest/Lot ID: 23K008

Batch# : 23K008

Sampled : 11/02/23

Ordered : 11/02/23

Sample Size Received : 15.5 gram

Completed : 11/14/23 Expires: 11/14/24

Page 4 of 5

Microbial						PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS		AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02
TOTAL YEAST AND MOLD	10	CFU	ND	PASS	100000	Analyzed by: 2803	Weight: 1.0137g	Extraction date: 11/14/23 08:34:51		Extracted by: 2803	
Analyzed by: 2837	Weight: 1.0609g	Extraction date: 11/08/23 16:09:40		Extracted by: 2837		Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN Analytical Batch : KN004300MYC Instrument Used : E-SHI-125 Running on : N/A Reviewed On : 11/14/23 09:24:35 Batch Date : 11/14/23 08:38:40					
Analysis Method : SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU Analytical Batch : KN004286MIC Instrument Used : E-HEW-069 Running on : N/A Dilution : N/A Reagent : 122222.01; 100623.01; 121322.05 Consumables : 22/04/01; 10RWL0315W13; 251773; 242429; P7528255; 41218-146C4-146C; 263989; 93825; n/a; 247040; 0150210 Pipette : E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-THE-052; E-THE-053; E-THE-054; E-BIO-188						Aflatoxins B1, B2, G1, G2, and Ochratoxins Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry. *Based on FL action limits.					
Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.											
Analyzed by: 2837	Weight: 1.0609g	Extraction date: 11/08/23 16:09:40		Extracted by: 2837		[Hg] Heavy Metals PASSED					
Analysis Method : SOP.T.40.209.TN Analytical Batch : KN004287TYM Instrument Used : N/A Running on : N/A Dilution : N/A Reagent : 121322.05; 030723.09; 081623.02 Consumables : 263989; 93825; n/a; 0150210 Pipette : E-BIO-188						Metal LOD Units Result Pass / Fail Action Level ARSENIC-AS 0.02 ppm ND PASS 1.5 CADMIUM-CD 0.02 ppm ND PASS 0.5 MERCURY-HG 0.02 ppm ND PASS 3 LEAD-PB 0.02 ppm <0.04 PASS 0.5					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques. *Based on FL action limits.						Analyzed by: 2837, 3050	Weight: 0.2552g	Extraction date: 11/09/23 13:04:24		Extracted by: 2837	
						Analysis Method : SOP.T.30.082, SOP.T.40.082.TN Analytical Batch : KN004290HEA Instrument Used : E-AGI-084 Running on : 11/10/23 10:56:16 Dilution : N/A Reagent : 083023.01; 100422.02; 110823.R03; 101722.05; 051923.01; 081723.R04; 090723.R14; 071323.R26; 101323.R01; 091123.R03; 091223.R03; 091223.R04; 031623.R02; 090723.R15; 111023.R01; 110823.R02 Consumables : 1008702218; 829C6-829B; 221200; A260422A; A30701833 Pipette : E-EPP-081; E-EPP-082					
Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action limits.											



Certificate of Analysis

PASSED

Asterra Labs

 800 Cooke Rd.
 Nashville, NC, 27856, US
 Telephone: (252) 702-1537
 Email: ron.rogers@asterrallabs.com

 Sample : KN31108001-006
 Harvest/Lot ID: 23K008
 Batch# : 23K008
 Sampled : 11/02/23
 Ordered : 11/02/23

 Sample Size Received : 15.5 gram
 Completed : 11/14/23 Expires: 11/14/24

Page 5 of 5

 Filth/Foreign Material	PASSED	 Moisture	PASSED
---	---------------	---	---------------

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	1	%	ND	PASS	5	Moisture Content	1	%	12.1	TESTED	
Analyzed by: 2837 Weight: 0.524g Extraction date: 11/09/23 10:13:38 Extracted by: 2837 Analysis Method : SOP.T.40.090 Analytical Batch : KN004285FIL Instrument Used : E-AMS-138 Running on : N/A Dilution : N/A Reagent : N/A Consumables : 6850215 Pipette : N/A						Analyzed by: 2837, 2990 Weight: 0.505g Extraction date: 11/08/23 13:33:13 Extracted by: 2837 Analysis Method : SOP.T.40.021 Analytical Batch : KN004282MOI Instrument Used : E-SHI-039 Running on : N/A Dilution : N/A Reagent : 083023.01; 100422.01 Consumables : 1008702218; 6850215 Pipette : E-EPP-081					
Reviewed On : 11/09/23 12:12:00 Batch Date : 11/08/23 14:22:16						Reviewed On : 11/09/23 10:03:58 Batch Date : 11/08/23 12:35:42					

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20.39.