

Certificate of Analysis

Sample:KN31127002-002
Harvest/Lot ID: 23L002
Batch#: 23L002
Batch Date: 11/13/23
Sample Size Received: 14.6 gram
Retail Product Size: 4.9 gram
Ordered : 11/22/23
Sampled : 11/22/23
Completed: 11/30/23

Nov 30, 2023 | Asterra Labs
800 Cooke Rd.
Nashville, NC, 27856, US



PASSED
Page 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtth PASSED	 Water Activity NOT TESTED	 Moisture PASSED	 Terpenes NOT TESTED

	Potency	PASSED
---	----------------	---------------



Total THC
0.1945%
Total THC/Gummy : 9.531 mg



Total Cannabinoids
0.1945%
Total Cannabinoids/Gummy : 9.531 mg

	CBDVA	CBDV	CBDA	CBGA	CBG	CBD	D9-THCV	D8-THCV	CBN	D9-THC	D8-THC	D10-THC	CBC	THCA
%	ND	ND	ND	ND	ND	<0.01	<0.01	ND	<0.1	0.1945	<0.01	ND	ND	ND
mg/g	ND	ND	ND	ND	ND	<0.1	<0.1	ND	<0.1	1.945	<0.1	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 2657 Weight: 0.2017g Extraction date: 11/27/23 16:30:35 Extracted by: 2990,2657

Analysis Method : SOP.T.30.031.TN & SOP.T.40.031.TN Expanded Measurement of Uncertainty: Flower Matrix d9-THC: ± 0.100, THCA: ± 0.124, TOTAL THC ± 0.112. These uncertainties represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor k=2 for a normal distribution.

Analytical Batch : KN004328POT **Reviewed On :** 11/28/23 16:01:44
Instrument Used : E-SHI-008 **Batch Date :** 11/27/23 12:16:15
Running on : N/A

Dilution : N/A
Reagent : 083023.01; 100422.02; 090723.02; 112823.R01; 112823.R02; 110323.01
Consumables : 302110210; 22/04/01; 220501; B9291.100; 230105059D; 947B9291.271; GD220011; 1350331; 6121219; 600185
Pipette : E-VWR-120

Full spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV/PDA detection (HPLC-UV/PDA). All cannabinoids have an LOQ of 0.01%.

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request.The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson
Lab Director
State License # n/a
ISO Accreditation # 17025:2017


Signature

11/30/23
Signed On



Certificate of Analysis

PASSED

Asterra Labs

800 Cooke Rd.
Nashville, NC, 27856, US
Telephone: (252) 702-1537
Email: ron.rogers@asterrallabs.com

Sample : KN31127002-002
Harvest/Lot ID: 23L002
Batch# : 23L002
Sampled : 11/22/23
Ordered : 11/22/23

Sample Size Received : 14.6 gram
Completed : 11/30/23 Expires: 11/30/24

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
ABAMECTIN B1A	0.012	ppm	0.3	PASS	ND	PIPERONYL BUTOXIDE	0.006	ppm	3	PASS	ND
ACEPHATE	0.008	ppm	3	PASS	ND	PRALLETHRIN	0.008	ppm	0.4	PASS	ND
ACEQUINOCYL	0.038	ppm	2	PASS	ND	PROPICONAZOLE	0.007	ppm	1	PASS	ND
ACETAMIPRID	0.009	ppm	3	PASS	ND	PROPOXUR	0.008	ppm	0.1	PASS	ND
ALDICARB	0.009	ppm	0.1	PASS	ND	PYRETHRINS	0.002	ppm	1	PASS	ND
AZOXYSTROBIN	0.013	ppm	3	PASS	ND	PYRIDABEN	0.007	ppm	3	PASS	ND
BIFENAZATE	0.028	ppm	3	PASS	ND	SPINETORAM	0.004	ppm	3	PASS	ND
BIFENTHRIN	0.047	ppm	0.5	PASS	ND	SPIROMESIFEN	0.009	ppm	3	PASS	ND
BOSCALID	0.007	ppm	3	PASS	ND	SPIROTETRAMAT	0.009	ppm	3	PASS	ND
CARBARYL	0.015	ppm	0.5	PASS	ND	SPIROXAMINE	0.006	ppm	0.1	PASS	ND
CARBOFURAN	0.008	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.009	ppm	1	PASS	ND
CHLORANTRANILIPROLE	0.012	ppm	1	PASS	ND	THIACLOPRID	0.008	ppm	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.008	ppm	3	PASS	ND	THIAMETHOXAM	0.009	ppm	1	PASS	ND
CHLORPYRIFOS	0.014	ppm	0.1	PASS	ND	TOTAL SPINOSAD	0.009	ppm	3	PASS	ND
CLOFENTEZINE	0.006	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.009	ppm	3	PASS	ND
COUMAPHOS	0.009	ppm	0.1	PASS	ND						
CYPERMETHRIN	0.01	ppm	1	PASS	ND	Analized by:	Weight:	Extraction date:	Extracted by:		
DAMINOZIDE	0.006	ppm	0.1	PASS	ND	2803	1.0015g	11/29/23 13:09:44	2803		
DIAZANON	0.006	ppm	0.2	PASS	ND	Analysis Method :	SOP.T.30.101.TN, SOP.T.40.101.TN				
DICHLORVOS	0.014	ppm	0.1	PASS	ND	Analytical Batch :	KN004340PES	Reviewed On :	11/29/23 14:07:44		
DIMETHOATE	0.009	ppm	0.1	PASS	ND	Instrument Used :	E-SHI-125	Batch Date :	11/29/23 13:05:36		
DIMETHOMORPH	0.009	ppm	3	PASS	ND	Running on :	N/A				
ETHOPROPHOS	0.007	ppm	0.1	PASS	ND	Dilution :	0.01				
ETOFENPROX	0.009	ppm	0.1	PASS	ND	Reagent :	082523.R07; 110623.R01; 110623.R02; 112023.R02; 102323.R25; 032221.01; 092123.R06; 092023.R17				
ETOXAZOLE	0.007	ppm	1.5	PASS	ND	Consumables :	302110210; K130252; 22/04/01; 21332MO; 220906; B9291.100; 21267B0; 251760; 201123-058; 260148; 1008702218; GD220011; 1350331				
FENHEXAMID	0.005	ppm	3	PASS	ND	Pipette :	E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-099; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119				
FENOXYCARB	0.007	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry.					
FENPYROXIMATE	0.006	ppm	2	PASS	ND	*Based on FL action limits.					
FIPRONIL	0.008	ppm	0.1	PASS	ND						
FLONICAMID	0.014	ppm	2	PASS	ND						
FLUDIOXONIL	0.011	ppm	3	PASS	ND						
HEXYTHIAZOX	0.009	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.005	ppm	3	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.009	ppm	2	PASS	ND						
METALAXYL	0.008	ppm	3	PASS	ND						
METHIOCARB	0.008	ppm	0.1	PASS	ND						
METHOMYL	0.009	ppm	0.1	PASS	ND						
MEVINPHOS	0.001	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.006	ppm	3	PASS	ND						
NALED	0.023	ppm	0.5	PASS	ND						
OXAMYL	0.009	ppm	0.5	PASS	ND						
PACLOBUTRAZOL	0.007	ppm	0.1	PASS	ND						
PERMETHRINS	0.008	ppm	1	PASS	ND						
PHOSMET	0.009	ppm	0.2	PASS	ND						

This report shall not be reproduced, unless in its entirety, without written approval from Labstat. This report is an Labstat certification. The results relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. Void after 1 year from test end date. Cannabinoid content of batch material may vary depending on sampling error. IC=In-control QC parameter, NC=Non-controlled QC parameter, ND=Not Detected, NA=Not Analyzed, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LoD) and Limit Of Quantitation (LoQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure. RPD=Reproducibility of two measurements. Action Levels are State determined thresholds variable based on uncertainty of measurement (UM) for the analyte. The UM error is available from the lab upon request. The "Decision Rule" for the pass/fail does not include the UM. The limits are based on F.S. Rule 64-4.310.

Sue Ferguson

Lab Director

State License # n/a
ISO Accreditation # 17025:2017

Signature

11/30/23

Signed On



Certificate of Analysis

PASSED

Asterra Labs

 800 Cooke Rd.
 Nashville, NC, 27856, US
 Telephone: (252) 702-1537
 Email: ron.rogers@asterrallabs.com

 Sample : KN31127002-002
 Harvest/Lot ID: 23L002
 Batch# : 23L002
 Sampled : 11/22/23
 Ordered : 11/22/23

 Sample Size Received : 14.6 gram
 Completed : 11/30/23 Expires: 11/30/24

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
PROPANE	100	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	100	ppm	5000	PASS	ND
METHANOL	20	ppm	250	PASS	ND
METHYLENE OXIDE	0.2	ppm	5	PASS	ND
PENTANES (N-PENTANE)	32	ppm	750	PASS	ND
ETHANOL	100	ppm	5000	PASS	3497.5997
ETHYL ETHER	10	ppm	500	PASS	ND
1,1-DICHLOROETHENE	0.6	ppm	8	PASS	ND
ACETONE	40	ppm	750	PASS	ND
2-PROPANOL	25	ppm	500	PASS	ND
ACETONITRILE	20	ppm	60	PASS	ND
DICHLOROMETHANE	2	ppm	125	PASS	ND
N-HEXANE	10	ppm	250	PASS	ND
ETHYL ACETATE	11	ppm	400	PASS	ND
CHLOROFORM	0.04	ppm	2	PASS	ND
BENZENE	0.03	ppm	1	PASS	ND
1,2-DICHLOROETHANE	0.05	ppm	2	PASS	ND
HEPTANE	53	ppm	5000	PASS	ND
TRICHLOROETHYLENE	0.5	ppm	25	PASS	ND
TOLUENE	5	ppm	150	PASS	ND
TOTAL XYLENES - M, P & O - DIMETHYLBENZENE	15	ppm	150	PASS	ND

Analyzed by: 3050	Weight: 0.0219g	Extraction date: 11/28/23 08:54:57	Extracted by: 3050
----------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.041.TN Analytical Batch : KN004334SOL Instrument Used : E-SHI-106 Running on : N/A	Reviewed On : 11/29/23 16:12:37 Batch Date : 11/28/23 08:39:55
--	---

Dilution : N/A
 Reagent : 100422.02
 Consumables : R2017.167; G201.167
 Pipette : N/A

Residual solvents analysis is performed using Gas Chromatography / Mass Spectrometry. *Based on FL action limits.



Certificate of Analysis

PASSED

Asterra Labs

 800 Cooke Rd.
 Nashville, NC, 27856, US
 Telephone: (252) 702-1537
 Email: ron.rogers@asterrallabs.com

 Sample : KN31127002-002
 Harvest/Lot ID: 23L002
 Batch# : 23L002
 Sampled : 11/22/23
 Ordered : 11/22/23

 Sample Size Received : 14.6 gram
 Completed : 11/30/23 Expires: 11/30/24

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ESCHERICHIA COLI SHIGELLA SPP			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS TERREUS			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU	ND	PASS	100000

Analyzed by: 2837 **Weight:** 1.0419g **Extraction date:** 11/27/23 15:36:06 **Extracted by:** 2837
Analysis Method : SOP.T.40.056C, SOP.T.40.041 LOD is 1 CFU
Analytical Batch : KN004327MIC **Reviewed On :** 11/28/23 16:18:29
Instrument Used : E-HEW-069 **Batch Date :** 11/27/23 08:59:31
Running on : N/A
Dilution : N/A
Reagent : 100623.02; 030723.10; 081623.02; 111523.01; 122222.01
Consumables : 22/04/01; 10RWL0315W13; 251773; 242429; P7528255; 41218-146C4-146C; 263989; n/a; 247040; 0150210
Pipette : E-THE-045; E-THE-046; E-THE-047; E-THE-048; E-THE-049; E-THE-050; E-THE-051; E-THE-052; E-THE-053; E-THE-054; E-BIO-188

Microbiological testing for Fungal and Bacterial Identification via Polymerase Chain Reaction (PCR) method consisting of sample DNA amplified via tandem Polymerase Chain Reaction (PCR) as a crude lysate which avoids purification. With an LOD of 1cfu, if a pathogenic E Coli, Salmonella, A fumigatus, A flavus, A niger, or A terreus is detected in 1g of a sample, the sample fails the microbiological-impurity testing.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	<0.04	PASS	0.5

Analyzed by: 2837, 3050 **Weight:** 0.2643g **Extraction date:** 11/29/23 14:04:38 **Extracted by:** 2837
Analysis Method : SOP.T.30.082, SOP.T.40.082.TN
Analytical Batch : KN004338HEA **Reviewed On :** 11/29/23 16:10:43
Instrument Used : E-AGI-084 **Batch Date :** 11/29/23 11:20:57
Running on : N/A
Dilution : N/A
Reagent : 083023.01; 100422.02; 110823.R03; 110823.R02; 101722.05; 051923.01; 090723.R14; 071323.R26; 101323.R01; 111023.R01; 091223.R03; 091223.R04; 031623.R02; 090723.R15
Consumables : 1008702218; GD220011; 1350331; 829C6-829B; 221200; A260422A; A30701833
Pipette : E-EPP-081; E-EPP-082

Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action limits.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN G2	0.0016	ppm	ND	PASS	0.02
AFLATOXIN G1	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B2	0.0012	ppm	ND	PASS	0.02
AFLATOXIN B1	0.0012	ppm	ND	PASS	0.02
OCHRATOXIN A+	0.002	ppm	ND	PASS	0.02
TOTAL MYCOTOXINS	0.002	ppm	ND	PASS	0.02

Analyzed by: 2803 **Weight:** 1.0015g **Extraction date:** 11/29/23 13:09:44 **Extracted by:** 2803
Analysis Method : SOP.T.30.101.TN, SOP.T.40.101.TN
Analytical Batch : KN004341MYC **Reviewed On :** 11/29/23 14:20:53
Instrument Used : E-SHI-125 **Batch Date :** 11/29/23 13:18:00
Running on : N/A
Dilution : 0.01
Reagent : 082523.R07; 110623.R01; 110623.R02; 112023.R02; 102323.R25; 032221.01; 092123.R06; 092023.R17
Consumables : 302110210; K130252; 22/04/01; 21332MO; 220906; B9291.100; 21267B0; 251760; 201123-058; 260148; 1008702218; GD220011; 1350331
Pipette : E-EPP-080; E-EPP-081; E-EPP-082; E-VWR-099; E-VWR-116; E-VWR-117; E-VWR-118; E-VWR-119

Metal	LOD	Units	Result	Pass / Fail	Action Level
ARSENIC-AS	0.02	ppm	ND	PASS	1.5
CADMIUM-CD	0.02	ppm	ND	PASS	0.5
MERCURY-HG	0.02	ppm	ND	PASS	3
LEAD-PB	0.02	ppm	<0.04	PASS	0.5

Analyzed by: 2837, 3050 **Weight:** 0.2643g **Extraction date:** 11/29/23 14:04:38 **Extracted by:** 2837
Analysis Method : SOP.T.30.082, SOP.T.40.082.TN
Analytical Batch : KN004338HEA **Reviewed On :** 11/29/23 16:10:43
Instrument Used : E-AGI-084 **Batch Date :** 11/29/23 11:20:57
Running on : N/A
Dilution : N/A
Reagent : 083023.01; 100422.02; 110823.R03; 110823.R02; 101722.05; 051923.01; 090723.R14; 071323.R26; 101323.R01; 111023.R01; 091223.R03; 091223.R04; 031623.R02; 090723.R15
Consumables : 1008702218; GD220011; 1350331; 829C6-829B; 221200; A260422A; A30701833
Pipette : E-EPP-081; E-EPP-082

Heavy Metals analysis is performed using ICP-MS (Inductively Coupled Plasma - Mass Spectrometer) which can screen down to single digit ppb concentrations. LOQ is 0.04 ppm for all metals. *Based on FL action limits.



Certificate of Analysis

PASSED

Asterra Labs

 800 Cooke Rd.
 Nashville, NC, 27856, US
 Telephone: (252) 702-1537
 Email: ron.rogers@asterrallabs.com

 Sample : KN31127002-002
 Harvest/Lot ID: 23L002
 Batch# : 23L002
 Sampled : 11/22/23
 Ordered : 11/22/23

 Sample Size Received : 14.6 gram
 Completed : 11/30/23 Expires: 11/30/24

Page 5 of 5



Filth/Foreign Material
PASSED



Moisture
PASSED

Analyte					Analyte				
Filth and Foreign Material					Moisture Content				
LOD	Units	Result	P/F	Action Level	LOD	Units	Result	P/F	Action Level
1	%	ND	PASS	5	1	%	7.57	TESTED	
Analyzed by: 2837	Weight: 0.5029g	Extraction date: 11/27/23 15:36:58		Extracted by: 2837	Analyzed by: 2657, 2837	Weight: 0.502g	Extraction date: 11/27/23 15:42:52		Extracted by: 2657
Analysis Method : SOP.T.40.090 Analytical Batch : KN004331FIL Instrument Used : E-AMS-138 Running on : N/A Reviewed On : 11/28/23 08:25:20 Batch Date : 11/27/23 15:05:55					Analysis Method : SOP.T.40.021 Analytical Batch : KN004332MOI Instrument Used : E-SHI-039 Running on : 11/27/23 15:51:20 Reviewed On : 11/27/23 16:20:10 Batch Date : 11/27/23 15:41:37				
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A				

This includes but is not limited to hair, insects, feces, packaging contaminants, and manufacturing waste and by-products. A SW-2T13 Stereo Microscope is use for inspection.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20.39.